

Контроллеры Carbo, DGTP, Deltadue, E5AK, Gammadue, MM, SigmaPAC

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70


Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: meg@nt-rt.ru || сайт: <https://mesa.nt-rt.ru/>



Control Accessory UZ 49... with Supplementary Unit ZUZ 49...

Special features:

- Connection to continuous or noncontinuous temperature controllers
- Triggering of up to 12 burners
- Screw-type and mounting rail fastening
- Overtemperature input
- Adjustable burner on time
- Function displays by LEDs

Function:

The **Control Accessory** is used for power-dependent, cyclic all-round control of Rekumat burners or radiant tubes in gas-fired furnaces. The burner on time is kept constant for all-round operation and the burner OFF time is adapted to the momentary power requirements.

This technique improves the efficiency of the furnace, produces a uniform furnace room temperature and a constant furnace room pressure. Output circuits and relays are accommodated in one or two accessory housings **ZUZ 49...** of the same construction.

The two units are connected by a pluggable bus cable.

Technical Data:

UZ for connection to non-continuous controller

Construction:

Plastic housing with open terminals alternatively with screw fastening (DIN 46121) or mounting rail fastening (DIN 46277)

Dimensions:

150 x 70 x 112 (lxwxh)

Auxiliary voltage:

24 Vac/50-60 Hz +/-10%

Input:

Control contact (working contact)

Overtemperature contact (rest contact)

The contacts must be potential-free and are loaded with approx. 20 mA. (Lay lines with shield and earth shield on controller side only.)

Output:

In connection with supplementary unit

6 burner connections (1 ZUZ 49...)

12 burner connections (2 ZUZ 49...)

(1 working contact per connection for the solenoid valve "Gas" and "Air"). The contacts are potential-free and can be loaded with a max. 8 A/250 Vac.

Times:

- Burner ON time in continuous operation:
adjustable 10...35 s
special model: 20...70 s
- Air lag time:
rinse time after gas OFF:
adjustable 0.3...2 s
- Overtemperature monitoring:
All burners are switched off 5 s after
overtemperature signal.

Power consumption:

with 12 burners approx. 36 VA

Perm. ambient temperature:

0...50 °C

Displays:

LED operation

LED all-round operation

LED controller contact ON

LED overtemperature ON

Technical Data:

UZ for connection to continuous controllers

Construction:

Plastic housing with open terminals alternatively with screw fastening (DIN 46121) or mounting rail fastening (DIN 46277)

Dimensions:

150 x 70 x 112 (lxwxh)

Auxiliary voltage:

24 Vac/50-60 Hz +/-10%

Input:

20...0 mA (100% ED = 20 mA) or

0...20 mA (100% ED = 0 mA)

Overtemperature contact (rest contact)

The contact must be potential-free and is loaded with approx. 20 mA. (Lay lines with shield and earth shield on controller side only.)

Output:

In connection with supplementary unit

6 burner connections (1 ZUZ 49...)

12 burner connections (2 ZUZ 49...)

(1 working contact per connection for the solenoid valve "Gas" and "Air"). The contacts are potential-free and can be loaded with a max. 8 A/250 Vac.

Times:

- Burner ON time in continuous operation:
adjustable 10...35 s
special model: 20...70 s
- Air lag time:
rinse time after gas OFF:
adjustable 0.3...2 s
- Overtemperature monitoring:
All burners are switched off 5 s after
overtemperature signal.

Power consumption:

with 12 burners approx. 36 VA

Perm. ambient temperature:

0...50 °C

Displays:

LED operation

LED all-round operation

LED overtemperature ON

Technical Data:

Supplementary Unit Type ZUZ

Construction:

Plastic housing with open terminals alternatively with screw fastening (DIN 46121) or mounting rail fastening (DIN 46277)

Dimensions:

150 x 70 x 112 (lxwxh)

Auxiliary voltage:

Fed from the basic unit through a pluggable ribbon cable

Input:

Fed from the basic unit through a pluggable ribbon cable

Output:

3 burner connections
(6 burner connections)
(per connection 1 working contact each for the solenoid valves "Gas" and "Air"). The contacts are potential-free and can be loaded with max. 8 A/250 Vac.

Times:

- Burner ON time in all-round operation:
see respective basic unit
- Overtemperature monitoring:
see respective basic unit

Perm. ambient temperature:

0...50 °C

Displays:

LED air valve 1 (7)
LED gas valve 1 (7)
LED air valve 2 (8)
LED gas valve 2 (8)
LED air valve 3 (9)
LED gas valve 3 (9)
LED air valve 4 (10)
LED gas valve 4 (10)
LED air valve 5 (11)
LED gas valve 5 (11)
LED air valve 6 (12)
LED gas valve 6 (12)

All specifications subject to change without prior notice.

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: meg@nt-rt.ru || сайт: <https://mesa.nt-rt.ru/>